

APPENDIX

A

SEED MIXES

Seed mix for Acidic Conditions

TABLE 10-1

<u>Seed Mixture</u>	<u>Seeding Rate</u>	
		(Lb./ac. PLS*)
<u>SPRING SEED MIX</u>		
Application Period: March 1 st to June 15th		
Kentucky 31 Tall Fescue	20	
Switchgrass	10	
Redtop	5	
Deer Tounge	10	
Unhulled Bermudagrass	5	
Birdsfoot Trefoil	5	
Korean Lespedeza (Hulled)	10	
Flat pea	10	
Alsike Clover	5	
		80 LBS.

No seeding between these dates.
June 16 to August 14

<u>FALL SEED MIX</u>		
Application Period: August 15 to March 1st		
KY 31 Tall Fescue	20	
Switchgrass	10	
Orchardgrass	10	
Timothy	5	
Redtop	5	
Alsike Clover	5	
Flat Pea	10	
Yellow Sweet Clover	10	
Korean Lespedeza	5	
		80 LBS.

Seed mix for General Reclamation

On slide areas replace Yellow sweet Clover with Crown Vetch

TABLE 10-1

<u>Seed Mixture</u>	<u>Seeding Rate</u>	
		(Lb./ac. PLS*)
<u>SPRING SEED MIX</u>		
Application Period: March 1 st to June 15th		
Kentucky 31 Tall Fescue	20	
Switchgrass	10	
Redtop	5	
Orchardgrass	10	
Birdsfoot Trefoil	10	
Korean Lespedeza (Hulled)	10	
Yellow Sweet Clover	5	
Ladino Clover	5	
Alsike Clover	5	
		80 LBS.

No seeding between these dates.
June 16 to August 14

<u>FALL SEED MIX</u>		
Application Period: August 15 to March 1st		
KY 31 Tall Fescue	20	
Switchgrass	10	
Orchardgrass	15	
Timothy	10	
Redtop	5	
Ladino Clover	5	
Medium Red Clover	5	
Yellow Sweet Clover	5	
Korean Lespedeza	5	
		80 LBS.

Seed mix for Hayland

TABLE 10-1

<u>Seed Mixture</u>	<u>Seeding Rate</u>	
		(Lb./ac. PLS*)
<u>SPRING SEED MIX</u>		
Application Period: March 1 st to June 15th		
Tall Fescue	30	
Orchardgrass	20	
Timothy	5	
Ladino Clover	5	
Medium Red Clover	10	
Birdsfoot Trefoil	10	
		80 LBS.

No seeding between these dates.
June 16 to August 14

<u>FALL SEED MIX</u>		
Application Period: August 15 to March 1st		
Tall Fescue	25	
Perennial Ryegrass	10	
Orchardgrass	15	
Redtop	5	
Ladino Clover	5	
Birdsfoot Trefoil	10	
Medium Red Clover	10	
		80 LBS.

Seed mix for Pasture

TABLE 10-1

<u>Seed Mixture</u>	<u>Seeding Rate</u>	
		(Lb./ac. PLS*)
<u>SPRING SEED MIX</u>		
Application Period: March 1 st to June 15th		
Kentucky Bluegrass	30	
Orchardgrass	20	
Redtop	5	
Ladino Clover	5	
Medium Red Clover	10	
Alfa – Graze alfalfa	10	
		80 LBS.

No seeding between these dates.
June 16 to August 14

<u>FALL SEED MIX</u>		
Application Period: August 15 to March 1st		
Kentucky Bluegrass	25	
Perennial Ryegrass	10	
Orchardgrass	15	
Redtop	5	
Ladino Clover	5	
Birdsfoot Trefoil	10	
Medium Red Clover	10	
		80 LBS.

Seed mix for Wildlife

TABLE 10-1

<u>Seed Mixture</u>	<u>Seeding Rate</u>	
		(Lb./ac. PLS*)
<u>SPRING SEED MIX</u>		
Application Period: March 1 st to June 15th		
Switchgrass	15	
Sideoats Gramma	15	
Orchardgrass	20	
Timothy	5	
Ladino Clover	5	
Medium Red Clover	10	
Korean lespedeza	10	
		80 LBS.

No seeding between these dates.
June 16 to August 14

<u>FALL SEED MIX</u>		
Application Period: August 15 to March 1st		
Switchgrass	10	
Perennial Ryegrass	10	
Orchardgrass	20	
Timothy	10	
Redtop	5	
Alfalfa	10	
Ladino Clover	5	
Medium Red Clover	5	
Korean Lespedeza	5	
		80 LBS.